Accent Graphics Communications & Publishing, Hamilton, Canada

Premier Publishing s.r.o.

Центр научных исследований «Solution»

11th International conference

Science and society

26th April 2019

Hamilton, Canada
2019

The 11th International conference “Science and society” (April 26, 2019) Accent Graphics Communications & Publishing, Hamilton, Canada. 2019. 236 p.

ISBN 978-1-77192-360-6

The recommended citation for this publication is:
Busch P. (Ed.) (2019). Humanitarian approaches to the Periodic Law // Science and society. Proceedings of the 11th International conference. Accent Graphics Communications & Publishing. Hamilton, Canada. 2019. Pp. 12–17

Editor Lucas Koenig, Austria

Editorial board
Abdulkasimov Ali, Uzbekistan
Adieva Aynura Abduzhalalovna, Kyrgyzstan
Arabaev Cholponkul Isaevich, Kyrgyzstan
Zagir V. Atayev, Russia
Akhmedova Raziyat Abdullayevna
Balabiev Kairat Rahimovich, Kazakhstan
Barlybaeva Saule Hatiyatovna, Kazakhstan
Bestugin Alexander Roaldovich, Russia
Boselin S.R. Prabhu, India
Bondarenko Natalia Grigorievna, Russia
Bogolib Tatiana Maksimovna, Ukraine
Bulatbaeva Aygul Abdimazhitovna, Kazakhstan
Chiladze George Bidzinovich, Georgia
Dalibor M. Elezović, Serbia
Gurov Valeriy Nikolaevich, Russia
Hajiyev Mahammad Shahbaz oglu, Azerbaijan
Ibragimova Liliya Ahmatyanovna, Russia
Blahun Ivan Semenovich, Ukraine
Ivannikov Ivan Andreevich, Russia
Jansarayeva Rima, Kazakhstan
Khubaev Georgy Nikolaevich
Khurtsidze Tamila Shalvovna, Georgia
Khoutyz Zaur, Russia
Khoutyz Irina, Russia
Korzh Marina Vladimirovna, Russia
Kocherbaeva Aynura Anatolevna, Kyrgyzstan
Kushaliyev Kaisar Zhalitovich, Kazakhstan
Lekerova Gulsim, Kazakhstan
Melnichuk Marina Vladimirovna, Russia
Meymanov Bakyt Kattoevich, Kyrgyzstan
Moldabek Kulakhmet, Kazakhstan
Morozova Natalay Ivanovna, Russia
Moskvin Victor Anatolevich, Russia
Nagiyev Polad Yusif, Azerbaijan
Naletova Natalia Yurevna, Russia
Novikov Alexei, Russia
Salaev Sanatbek Komiljanovich, Uzbekistan
Shadiev Rizamat Davranovich, Uzbekistan
Shhahutova Zarema Zorievna, Russia
Soltanova Nazilya Bagir, Azerbaijan
Spasennikov Boris Aristarkhovich, Russia
Spasennikov Boris Aristarkhovich, Russia
Suleymanov Suleyman Fayzullaevich, Uzbekistan
Suleymanova Rima, Russia
Tereschenko-Kaidan Liliya Vladimirovna, Ukraine
Tsersvadze Mzia Giglaevna, Georgia
Vijaykumar Muley, India
Yurova Kseniya Igorevna, Russia
Zhaplova Tatiana Mikhaylovna, Russia
Zhdanovich Alexey Igorevich, Ukraine

Proofreading Andrey Simakov

Cover design Andreas Vogel

Contacts Premier Publishing s.r.o.
Praha 8 – Karlín,
Lyčkovo nám. 508/7, PSČ 18600

1807-150 Charlton st.East,
Hamilton, Ontario, L8N 3×3 Canada

Material disclaimer
The opinions expressed in the conference proceedings do not necessarily reflect those of the Premier Publishing s.r.o. or Accent Graphics Communications & Publishing, the editor, the editorial board, or the organization to which the authors are affiliated.

The Premier Publishing s.r.o. or Accent Graphics Communications & Publishing is not responsible for the stylistic content of the article. The responsibility for the stylistic content lies on an author of an article.

Included to the open access repositories:

eLIBRARY.RU

© Premier Publishing s.r.o.
© Accent Graphics Communications & Publishing
© Центр научных исследований «Solution»
All rights reserved; no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission of the Publisher.

Typeset in Berling by Ziegler Buchdruckerei, Linz, Austria.
Printed by Premier Publishing s.r.o., Vienna, Austria on acid-free paper

Table of Contents

1.	ТКАЧЕНКО М.М., РОМАНЕНКО Г.О., МИРОНОВА О.В., ГОРОТЬ І.В. ДОСВІД НАУКОВО-СПРЯМОВАНОГО НАВЧАННЯ ПРОМЕНЕВОЇ ДІАГНОСТИКИ ТА ПРОМЕНЕВОЇ ТЕРАПІЇ.	6
2.	IVANENKO N.V. INITIAL STAGES OF ELABORATING A PROJECT IN A FOREIGN LANGUAGE CLASSROOM.	13
3.	YAKUBOVSKA M. S., I. V. OGIRKO, SAVCHUK G. N. TRAINING OF SPECIALISTS OF DOCUMENTOLOGISTS: CULTURAL ASPECTS (FROM THE EXPERIENCE OF THE HEAD OF THE DEPARTMENT OF THE IBKS OF THE DOCTOR OF HISTORICAL SCIENCES, PROFESSOR PASICHNYK MS).	21
4.	КУЧЕРЕНКО І.І., КРИЛЬ О.М. ВИВЧЕННЯ КОМП`ЮТЕРНИХ ДАНИХ ДАНИХ, ЇХ ОБРОБКА ТА УПРАВЛІННЯ З ВИКОРИСТАННЯМ ТЕХНОЛОГІЙ ДИСТАНЦІЙНОГО НАВЧАННЯ.	31
5.	МИКИТЕНКО П.В. ДОСЛІДЖЕННЯ ІТ-КОМПЕТЕНТНОСТІ ІНОЗЕМНИХ СТУДЕНТІВ МЕДИКІВ.	34
6.	ФІЩУК О.С. МОРФОЛОГІЯ КВІТКИ РОДУ DRACAENA VAND. EX L. (ASPARAGACEAE).	40
7.	ДЕМ’ЯНЕНКО Н. Б. СИМВОЛІКА КОЛЬОРУ У ПОЛЬСЬКІЙ, УКРАЇНСЬКІЙ ТА РОСІЙСЬКІЙ ФРАЗЕОЛОГІЇ.	45
8.	ЛУПІНОВИЧ С.М., МАРКІВ В.М., ПАТАНА В.О. МОТИВАЦІЯ ЯК ОСНОВА ЕФЕКТИВНОЇ РЕАЛІЗАЦІЇ ПІЗНАВАЛЬНИХ ІНТЕРЕСІВ У НАВЧАЛЬНІЙ ДІЯЛЬНОСТІ УЧНІВ ПОЧАТКОВИХ КЛАСІВ.	56
9.	ГРИЩЕНКО О.В. УКРАЇНОЗНАВСТВО У КОЛІ СОЦІАЛЬНО-ГУМАНІТАРНИХ ДИСЦИПЛІН.	65
10.	БОНДАРЕНКО В.В. ЄРЕВАН – МІСТО СТАРОДАВНЬОЇ ТА ВИСОКОЇ КУЛЬТУРИ.	69
11.	ТРОЯН А.О., ЛАВРИК Г.І. ПОШИРЕННЯ СУРЖИКУ В МОВЛЕННІ СУЧАСНОЇ УКРАЇНСЬКОЇ МОЛОДІ.	82
12.	КРИЛОВА І.І. НАПРЯМИ ВДОСКОНАЛЕННЯ МЕХАНІЗМУ ДЕРЖАВНОГО РЕГУЛЮВАННЯ У СФЕРІ ВОДОПОСТАЧАННЯ ТА ВОДОВІДВЕДЕННЯ УКРАЇНИ.	88
13.	КАЗАНЖИ О., БОГАЧУК К. ОСОБЛИВОСТІ ПІДГОТОВКИ МАЙБУТНЬОГО ВЧИТЕЛЯ ПОЧАТКОВИХ КЛАСІВ ДО ВИКЛАДАННЯ ЗАРУБІЖНОЇ ЛІТЕРАТУРИ НА УРОКАХ ЛІТЕРАТУРНОГО ЧИТАННЯ.	97

14.	КЛОС Л.М. ПРОБЛЕМИ ДИСТАНЦІЙНОГО НАВЧАННЯ МІКРОБІОЛОГІЇ ТА ВІРУСОЛОГІЇ МАЙБУТНІХ МАГІСТРІВ ФАРМАЦІЇ.	103
15.	ЧУЙКО О. Д. КУЛЬТУРНІ ВЗАЄМИНИ ГАЛИЦЬКОЇ ЗЕМЛІ З УГОРЩИНОЮ.	108
16.	СКАЛОЗУБОВ В.И., МЕЛЬНИК С.И., ПАНТАК О.И., ГРИБ В.Ю. ПРИМЕНЕНИЕ ЭКСПРЕСС-МЕТОДА АНАЛИЗА ЯДЕРНОЙ БЕЗОПАСНОСТИ ПРИ МОДЕРНИЗАЦИЯХ ЯДЕРНЫХ ЭНЕРГЕТИЧЕСКИХ УСТАНОВОК.	112
17.	BEZRODNA MARHARYTA, ROMANENKO NADIIA, MOROZOVA YEVHENIIA. BASIC PRINCIPLES OF THE USE OF INNOVATIVE OUTSOURCING BY ENTERPRISES.	124
18.	G.D. FADIEIENKO, I.E. KUSHNIR, V.M. CHERNOVA, T.A. SOLOMENTSEVA, YA.V. NIKIFOROVA, OLIINYK O.V. THE ROLE OF MIR-122 AND MIR-34A IN THE PATHOGENESIS OF NON-ALCOHOLICFATTY LIVER DISEASE.	128
19.	ШЕВЧЕНКО І.М., МОРОЗОВА С.М. ОСОБЛИВОСТІ ВИКЛАДАННЯ ДИСЦИПЛІНИ «ОСНОВИ ФІЗИЧНОЇ ТЕРАПІЇ ТА ЕРГОТЕРАПІЇ».	135
20.	ШАЧКОВСЬКА Л.С. БЕЗПЕКОВА ПОЛІТИКА ДЕРЖАВИ ЯК РЕЗУЛЬТАТ ДІЯЛЬНОСТІ ПОЛІТИЧНИХ ПАРТІЙ.	141
21.	P.A. KOZUB, S.N. KOZUB. UNIVERSAL DEPENDENCE FOR THE APPROXIMATION OF ISOBARIC SPECIFIC HEAT OF SOLIDS.	151
22.	L.L. DAVTIAN, A.O. DROZDOVA, A. S. KOVAL. PSYCHOLOGICAL PROBLEMS IN PATIENTS AS A CONSEQUENCE OF DISEASES OF ACNE AND DEMODICOSIS.	156
23.	BOGDAN KINDZER, VALERIY Y BABELYUK, IGOR L POPOVYCH, GALYNAl I DUBKOVA, NAZARIY V BABELYUK, TETYANA A KOROLYSHY, YURIY G DOBROVOL’S’KYI., IGOR H KORSUNS’KYI, WALERY ZUKOW, HALYNA KINDZER, SERGE LITOCH. THE DEVICE FOR ELECTROSTIMULATION "VEB-1" MODULATES PARAMETERS OF ELECTROENCEPHALOGRAM AND GAS DISCHARGE VISUALIZATION.	159
24.	КАРВАЦЬКА Н.С., ПЛІХТА Н.Д. ТРИВОЖНІ ТА ДЕПРЕСИВНІ РОЗЛАДИ У ХВОРИХ ГІПОТИРЕОЗОМ (ОГЛЯД ЛІТЕРАТУРИ).	172
25.	КАРВАЦЬКА Н.С. КЛІНІКО - ПСИХОЛОГІЧНІ ОСОБЛИВОСТІ ХВОРИХ НА ГІПОТИРЕОЗ.	180
26.	YULIA SVIATIUK, IRYNA OLIINYK. ETHNIC DIVERSITY DIMENSION OF CROSS-CULTURAL COMMUNICATION.	188

27.	СИТЬКО О.М. ПРО МОЖЛИВОСТІ РЕАЛІЗАЦІЇ КОНЦЕПЦІЇ НАЦІОНАЛЬНО-ПАТРІОТИЧНОГО ВИХОВАННЯ ДІТЕЙ ТА МОЛОДІ В РІЗНИХ АСПЕКТАХ.	194
28.	ХАЙДЕР ТЕТЯНА. МЕТАМОРФОЗИ МАСКИ В РОМАННОМУ ЦИКЛІ КАЗИМЄЖА ТРУХАНОВСЬКОГО «БОЖІ МЛИНИ».	201
29.	ХАЙДЕР ЄЛЕНА. ВІДТВОРЕННЯ ВЛАСНИХ НАЗВ В РОМАНІ «ДВАНАДЦЯТЬ СТІЛЬЦІВ».	210
30.	DAVIDENKO V. B., MISHINA M. M., ROI N.V. MODERN METHODS OF TREATMENT OF INFLAMMATORY SURGICAL DISEASES IN CHILDREN.	223
31.	СМОЛЬНИЦЬКА О. О. КОНЦЕПТУАЛЬНІСТЬ І СИМВОЛІКА У ПОЕЗІЇ ЕНДРЮ МАРВЕЛЛА (1621–1678) «ДІАЛОГ МІЖ ДУШЕЮ І ТІЛОМ» («A DIALOGUE BETWEEN THE SOUL AND THE BODY»): ПРОБЛЕМА УКРАЇНСЬКОГО ПЕРЕКЛАДУ.	226

THE DEVICE FOR ELECTROSTIMULATION "VEB-1" MODULATES PARAMETERS OF ELECTROENCEPHALOGRAM AND GAS DISCHARGE VISUALIZATION

BOGDAN KINDZER,

PhD

ORCID 0000-0002-7503-4892, Scopus Author ID 57201425548

Associate Professor of the Department of Fencing,

Boxing and National Martial Arts

Lviv State University of Physical Culture Lviv,

Ukraine

VALERIY Y BABELYUK,

PhD

Clinical Sanatorium "Moldova", Truskavets', Ukraine

Ukrainian SR Institute of Transport Medicine Ministry of Health,

Odesa

IGOR L POPOVYCH,

PhD

Clinical Sanatorium "Moldova", Truskavets', Ukraine

Bohomolets' Institute of Physiology of NAS,

Kyïv, Ukraine

GALYNAl I DUBKOVA,

PhD

Clinical Sanatorium "Moldova", Truskavets',

Ukraine

NAZARIY V BABELYUK

Clinical Sanatorium "Moldova", Truskavets',

Ukraine

TETYANA A KOROLYSHY,

Clinical Sanatorium "Moldova", Truskavets', Ukraine

Bohomolets' Institute of Physiology of NAS,

Kyïv, Ukraine

YURIY G DOBROVOL'S'KYI.

Dr

Fed'kovych Bukovynian University, Chernivtsi, Ukraine

Research and Production Company "Tenzor",

Chernivtsi, Ukraine

IGOR H KORSUNS'KYI,

Fed'kovych Bukovynian University,

Chernivtsi, Ukraine

WALERY ZUKOW,

PhD

Nicolaus Copernicus University,

Torun', Poland

HALYNA KINDZER,

IT Project manager,

Association of Ontario Boxes.

Toronto. Canada

SERGE LITOCH,
Sportrehab,sportrecearch,altern.medicine,boxing
Association of Ontario Boxes.
Toronto. Canada

INTRODUCTION

We created device for electrostimulation "VEB-1". It is intended for activation of functional systems of organism by wave influence on nerve plexus by frequency beats method. The generator is assembled on the basis of the patent of Ukraine for utility model 105875 “Portable device for electrotherapy and stimulation” [1]. Its operation is described in [2].

MATERIAL AND RESEARCH METHODS

The object of observation were 14 males aged 24-59 years (including three authors) without clinical diagnose but with dysfunction of neuro-endocrine-immune complex and metabolism, characteristic for premorbid (intermediate between health and illness) state.

In the morning on an empty stomach we recorded electroencephalogram during 25 sec a hardware-software complex “NeuroCom Standard” (KhAI Medica, Kharkiv, Ukraine) monopolar in 16 loci (Fp1, Fp2, F3, F4, F7, F8, C3, C4, T3, T4, P3, P4, T5, T6, O1, O2) by 10-20 international system, with the reference electrodes A and Ref on tassels the ears. Among the options considered the average EEG amplitude (μV), average frequency (Hz), frequency deviation (Hz), index (%), coefficient of asymmetry (%), absolute (μV^2/Hz) and relative (%) spectral power density (SPD) of basic rhythms: β (35÷13 Hz), α (13÷8 Hz), θ (8÷4 Hz) and δ (4÷0,5 Hz) in all loci, according to the instructions of the device.

In 1996 KG Korotkov created a new scientific approach, based on the digital videotechnics, modern electronics and computer processing quantitative data, called as method gas discharge visualization (GDV bioelectrography). Parallel uses the terms Kirlianography and Electrophotonics. Method of GDV, essence of which consists in registration of photoelectronic emission of skin, induced by high-

frequency electromagnetic impulses, allows to estimate integrated psycho-somatic state of organism. The first base parameter of GDV is area of gas discharge image (GDI) in Right, Frontal and Left projections registered both with and without polyethylene filter (f). The second base parameter is a coefficient of shape (ratio of square of length of external contour of GDI toward his area), which characterizes the measure of serration/fractality of external contour. The third base parameter of GDI is entropy, id est measure of chaos. Program estimates also Energy and Asymmetry of virtual Chakras. It is considered that parameters of GDV, taken off without filter, characterizes the current psychophysiological condition of organism while registered with a filter characterizes vegetative regulation at the level of stable physiological processes [3,4]. Since ambiguous attitude to the method (between excellent and fickle), previously we conducted the study on its verification and have shown that GDV parameters are correlated with HRV, EEG and endocrine parameters as well as can change with variation in other functional parameters of the body [5-10].

The Kirlianogram have been registered by the method of GDV with the use the device “GDV Chamber” (“Biotechprogress”, SPb, RF).

Then the volunteers were subjected to an electrostimulation session lasted for 21 minutes in four days. One day after the last session GDV testes was re-registered.

Results processed using the software package "Statistica 5.5".

RESULTS AND DISCUSSION

A fragment of the results was published earlier [11].

For the purpose of adequate comparative assessment changes in data EEG they are transformed into normalized parameter Z, calculated by formula:

Z=(V/N - 1)/Cv; where V is individual value of variable; N is its mean of normal (reference) value; Cv is coefficient of variation (SD/N) in norm.

By the results of the screening of the Z values of the EEG parameters, we identified a series of patterns. The first pattern reflects an increase in the initially lower levels of SPD alpha- and theta- rhythms. While moderately decreased SPD levels of beta-rhythm as well its Amplitude becomes even smaller. To this pattern we also included an increase in the Asymmetry of the theta-rhythm. The third pattern

includes SPD of delta-rhythm, which initially were on the upper limit of the norm or were moderately elevated, and under the influence of electrical stimulation significantly increased, in particular in locus F8 drastically. The last pattern included parameters of the EEG, whose initial normal levels, judging by the mean values, did not significantly change under the influence of electrostimulation. The reason for taking them to consideration will be discussed later.

And now we suggest looking at Fig. 1, which shows integrated patterns. The first pattern displays a normalizing increase in the lowered parameters. Instead, the second pattern reflects the further decrease of the initially lower parameters. The third pattern visualizes the irregularity of the initially normal parameters. The fourth pattern reflects the normalizing decline of the initially elevated SPD of beta-rhythm in locus O2. The fifth pattern demonstrates the further increase of the initially elevated parameters.



Fig. 1. Integrated patterns of electrostimulation effects on EEG

As we see, only the first, third and fourth patterns correspond to the classical JF Wilder's "law of the initial level". However, going ahead, we note that the second and fifth patterns also reflect physiologically favorable changes in the EEG.

If we calculate the changes of the considered parameters of EEG by the method of direct differences, then they are significant for all, including initially normal (Fig. 2-4).



Fig. 2. Ranking of inhibiting neurotropic effects of electrostimulation



Fig. 3. Ranking of enhancing neurotropic effects of electrostimulation



Fig. 4. Drastically enhancing neurotropic effects of electrostimulation

Based on the results of discriminant analysis [12] by the method of forward stepwise the model included 20 parameters of EEG (Table 1).

Table 1. Discriminant Function Analysis Summary for parameters of EEG

Step 20, N of vars in model: 20; Grouping: 2 grps. Wilks' Λ: 0,020; approx. $F_{(21)}=16,7$; $p<10^{-3}$

Variables currently in the model	**Reference level (n=88)**	**Initial level (n=14)**	**Final level (n=14)**	**Change after 4 Seanses**	**Wilks' Λ**	**Partial Λ**	**F-remove**	**p-level**	**Tolerancy**
θ-rhythm Deviation, Hz	1,06±0,07 0	1,21±0,18 +0,22±0,26	0,79±0,11 -0,40±0,17	-0,43±0,20 -0,62±0,29	,134	,153	38,8	10^{-4}	,072
F3-β SPD, μV^2/Hz	89±5 0	59±7 -0,61±0,15	45±4 -0,88±0,08	-13±6 -0,27±0,12	,052	,391	10,9	,013	,088
β-rhythm Amplitude, μV	13,6±0,5 0	11,6±0,7 -0,48±0,17	10,3±0,5 -0,79±0,12	-1,3±0,8 -0,30±0,18	,107	,191	29,6	,001	,017
O2-β SPD, μV^2/Hz	117±8 0	97±20 -0,27±0,28	66±9 -0,69±0,12	-31±19 -0,42±0,26	,147	,140	43,1	10^{-4}	,011
δ-rhythm Asymmetry, %	33±3 0	57±6 +0,90±0,21	46±7 +0,48±0,26	-11±9 -0,41±0,35	,178	,115	54,0	10^{-4}	,033
C3-β SPD, μV^2/Hz	96±5 0	62±8 -0,70±0,16	51±4 -0,92±0,08	-11±6 -0,22±0,13	,035	,581	5,0	,060	,066
P4-β SPD, %	25,5±1,8 0	24±4 -0,11±0,23	18±3 -0,46±0,19	-5,8±3,5 -0,35±0,21	,026	,791	1,9	,215	,089
P4-β SPD, μV^2/Hz	90±4 0	66±8 -0,63±0,21	54±7 -0,93±0,17	-12±8 -0,30±0,21	,040	,514	6,6	,037	,015
O2-β SPD, %	26±2 0	21±4 -0,24±0,19	16±4 -0,50±0,18	-5,2±3,1 -0,26±0,16	,042	,486	7,4	,030	,107
C4-β SPD, μV^2/Hz	88±5 0	66±8 -0,53±0,20	58±6 -0,71±0,16	-8±5 -0,18±0,12	,102	,200	28,0	,001	,025
F8-δ SPD, μV^2/Hz	71±14 0	252±106 +1,38±0,81	1730±831 +12,61±6,3	+1478±790 +11,23±6,0	,062	,328	14,3	,007	,016
P3-θ SPD, %	7,6±0,3 0	6,1±0,9 -0,53±0,32	7,6±0,8 0,00±0,28	+1,5±0,9 +0,53±0,33	,223	,092	69,3	10^{-4}	,022
Fp1-δ SPD, μV^2/Hz	63±13 0	358±146 +2,51±1,25	910±449 +7,23±3,83	+552±374 +4,71±3,19	,088	,232	23,2	,002	,013
P4-δ PSD, %	19,1±1,3 0	31±5 +0,98±0,43	40±7 +1,69±0,53	+9±6 +0,71±0,47	,065	,313	15,4	,006	,023
T5-α SPD, %	37±2 0	22±4 -0,69±0,19	29±6 -0,35±0,27	+7±4 +0,34±0,21	,026	,775	2,0	,197	,079
T5-α SPD, μV^2/Hz	134±16 0	69±25 -0,43±0,16	112±39 -0,14±0,26	+43±25 +0,28±0,16	,169	,121	50,8	10^{-4}	,010
T4-α SPD, μV^2/Hz	134±13 0	42±8 -0,75±0,06	59±16 -0,61±0,13	+17±11 +0,14±0,09	,063	,327	14,4	,007	,017
F4-α SPD, %	41±2 0	20±4 -1,07±0,19	26±5 -0,77±0,29	+6±3 +0,30±0,16	,085	,241	22,1	,002	,017
O1-θ SPD, %	5,27±0,34 0	5,55±0,85 +0,09±0,27	6,49±0,85 +0,39±0,27	+0,95±0,60 +0,30±0,19	,027	,768	2,1	,189	,190
O1-α SPD, %	48±3 0	28±7 -0,77±0,26	33±7 -0,58±0,28	+4,9±2,5 +0,19±0,10	,047	,434	9,1	,019	,023
Variables currently not in the model	**Reference level (n=88)**	**Initial level (n=14)**	**Final level (n=14)**	**Change after 4 Seanses**	**Wilks' Λ**	**Partial Λ**	**F to enter**	**p-level**	**Tolerancy**
P3-β SPD, μV^2/Hz	100±5 0	74±11 -0,54±0,23	57±6 -0,89±0,12	-17,1±8,6 -0,35±0,18	,020	1,0	,00	,99	,040
α-rhythm Index, %	50±3 0	40±9 -0,32±0,30	51±9 +0,03±0,28	+11±5 +0,35±0,15	,020	,992	,05	,83	,014
F3-α SPD, %	42±2 0	23±4 -0,97±0,22	29±6 -0,63±0,31	+6,5±3,1 +0,33±0,16	,020	,983	,08	,78	,039

Information about the parameters is condensed in the canonical discriminant root, which correlates with some of them **positively**, and with others **negatively**

(Table 2). The same table shows the Raw Coefficients and Constant for discriminant variables, based on which as well as on the individual values of the parameters of the EEG, the individual values of the canonical root before and after electrostimulation course were calculated (Fig. 5).

Table 2. Standardized, Structural and Raw Coefficients and Constant for EEGs variables

Variables currently in the model	Standardized	Structural	Raw
F8-δ SPD, μV^2/Hz	-6,539	**,050**	-,003
P3-θ SPD, %	6,510	**,036**	2,011
Fp1-δ SPD, μV^2/Hz	7,778	**,033**	,006
P4-δ PSD, %	5,472	**,029**	,240
T5-α SPD, %	1,710	**,029**	,090
T5-α SPD, μV^2/Hz	9,432	**,026**	,076
T4-α SPD, μV^2/Hz	-6,276	**,027**	-,132
F4-α SPD, %	6,676	**,025**	,383
O1-θ SPD, %	1,118	**,022**	,351
O1-α SPD, %	-4,994	**,014**	-,190
θ-rhythm Deviation, Hz	-3,458	**-,057**	-6,153
F3-β SPD, μV^2/Hz	-2,660	**-,045**	-,121
β-rhythm Amplitude, μV	7,003	**-,042**	3,010
O2-β SPD, μV^2/Hz	-9,131	**-,040**	-,156
δ-rhythm Asymmetry, %	-5,209	**-,035**	-,217
C3-β SPD, μV^2/Hz	2,541	**-,034**	,109
P4-β SPD, %	1,546	**-,033**	,119
P4-β SPD, μV^2/Hz	5,713	**-,031**	,205
O2-β SPD, %	-2,218	**-,028**	-,161
C4-β SPD, μV^2/Hz	-5,664	**-,020**	-,201
Eigenvalue	47,856	**Constant**	-33,1
R=0,990; Wilks' Λ=0,020; $\chi^2_{(20)}$=62; p<10^{-5}			



Fig. 5. Individual values of the canonical discriminant EEGs root before (red columns) and after (green columns) four-day electrostimulation course with the device "VEB-1"

As you can see, electrostimulation makes a tangible neurotropic effect in all volunteers without exception.

Among the GDV registered parameters, we restrict ourselves to those that were included in the discriminant model as well as those that were out of the model but changed statistically significantly (Table 3).

It has been found that the electrostimulation course increases the reduced area of GDI to the lower normal zone. However, the initial asymmetry of the GDI (f) becomes even more pronounced. Other biophysical parameters do not change significantly. Instead, changes in the parameters of the virtual Chakras were detected.

According to existent ideas, Chakras are power centers, related to the endocrine glands and neural plexus as well as to some organs. In particular, the first Chakra is related to the testicles and sacral plexus, second Chakra to the ovaries, adrenals and kidneys, third Chakra to spleen, liver and solar plexus, fourth Chakra to thymus, heart and cardial plexus, fifth Chakra to thyroid and parathyroid glands, sixth Chakra to pituitary gland and brain, seven Chakra to pineal gland [13].

As you can see, the second, third, fourth, sixth and seventh Chakras were shifted to the right, and after the course of electrostimulation, the asymmetry of the volunteers was leveled out. However, right-side asymmetry of the second Chakra, registered with the filter, reversed to the left-hand side. The decrease of energy deficit of the second and seventh chakras was also revealed.

Table 3. Discriminant Function Analysis Summary for parameters of GDV

Step 9, N of vars in model: 9; Grouping: 2 grps; Wilks' Λ: 0,219; approx. $F_{(9,2)}=7,1$; $p<10^{-3}$

Variables currently in the model	**Reference level (n=88)**	**Initial level (n=14)**	**Final level (n=14)**	**Change after 4 Seanses**	**Wilks' Λ**	**Partial Λ**	**F-remove (1,2)**	**p-level**	**Tolerancy**
Area GDI in Left projection, kPixels	24,5±0,50	22,3±1,2 -0,51±0,27	23,4±0,9 -0,25±0,21	+1,1±0,5 +0,26±0,11	,397	,552	14,6	,001	,063
Symmetry GDI (f), %	94,7±0,10	93,67±0,31 -1,55±0,47	92,62±0,47 -3,14±0,70	-1,05±0,46 -1,58±0,69	,337	,648	9,8	,006	,352
Chak 2 Asymmetry (f)		+0,06±0,04	-0,09±0,05	-0,15±0,05	,225	,970	,5	,468	,406
Chakra 2 Asymmetry	+0,11±0,04	+0,12±0,06	0,00±0,07	-0,12±0,11	,243	,902	2,0	,179	,538
Chak 7 Asymmetry (f)		+0,06±0,03	-0,05±0,03	-0,11±0,04	,269	,813	4,1	,057	,393
Chakra 6 Asymmetry	+0,04±0,02	+0,08±0,05	-0,02±0,05	-0,09±0,05	,268	,816	4,1	,059	,550
Chak 4 Asymmetry (f)		+0,04±0,03	-0,03±0,05	-0,07±0,06	,282	,776	5,2	,035	,499

Chakra 2 Energy	-0,08±0,05	-0,32±0,16	-0,24±0,10	+0,08±0,07	,268	,817	4,0	,060	,081
Variable currently not in the model	**Reference level (n=88)**	**Initial level (n=14)**	**Final level (n=14)**	**Change after 4 Seanses**	**Wilks' Λ**	**Partial Λ**	**F to enter**	**p-level**	**Tolerancy**
Chakra 7 Energy	+0,04±0,03	-0,29±0,07	-0,22±0,07	+0,08±0,03	,217	,99	,141	,71	,161
Chakra 7 Energy (f)		-0,10±0,05	-0,05±0,06	+0,05±0,02	,218	,99	,078	,78	,504
Chakra 3 Asymmetry	+0,22±0,04	+0,15±0,04	+0,04±0,04	-0,10±0,04	,212	,97	,527	,48	,401
Chakra 7 Asymmetry	+0,10±0,03	+0,12±0,04	-0,02±0,05	-0,14±0,06	,218	1,0	,047	,83	,826

Individual changes of GDV recognizable parameters condensed in a discriminant root (Table 4) are visualized in Fig. 6

Table 4. Standardized, Structural and Raw Coefficients and Constant for GDVs variables

Variables currently in the model	**Standardized**	**Structural**	**Raw**
Chakra 2 Asymmetry (f)	-,306	-,256	-1,867
Chakra 7 Asymmetry (f)	-,780	-,243	-6,391
Symmetry GDI (f), %	-1,131	-,195	-,763
Chakra 6 Asymmetry	-,654	-,144	-3,630
Chakra 2 Asymmetry	-,483	-,135	-1,985
Chakra 4 Asymmetry (f)	-,759	-,123	-4,671
Area GDI in Left projection, kPixels	3,015	,079	,800
Chakra 2 Energy	-1,701	,045	-3,432
Eigenvalue	3,57	**Constant**	41,74
R=0,884; Wilks' Λ=0,219; $\chi^2_{(9)}$=33; p=10^{-4}			



Fig. 6. Individual values of the canonical discriminant GDVs root before (red columns) and after (green columns) four-day electrostimulation course with the device "VEB-1"

CONCLUSION

A four-day electrostimulation course causes on males with dysfunction of the neuro-endocrine-immune complex and metabolism a notable neuro-modulating effect evaluated by changes in basal EEG. This is accompanied by changes to a number of GDV parameters.

ACKNOWLEDGMENT

We express sincere gratitude to administration JSC “Truskavets’kurort” for help in recording EEG. Special thanks to the volunteers.

ACCORDANCE TO ETHICS STANDARDS

Tests in volunteers are conducted in accordance with positions of Helsinki Declaration 1975, revised and complemented in 2002, and directive of National Committee on ethics of scientific researches. During realization of tests from all participants the informed consent is got and used all measures for providing of anonymity of participants.

References

1. Babeluk VE. The patent of Ukraine for utility model 105875 Portable device for electrotherapy and stimulation, 2016.
2. Babelyuk VY, Dobrovolskiy YyG, Popovych IL, Korsunskiy IG. Generator for electrotherapy and stimulation oh human nerve centers [in Russian]. Tekhnologiya i Konstruirovaniye v Elektronnoy Apparature. 2017; 1-2: 23-27.
3. Korotkov KG. Basics GDV Bioelectrography [in Russian]. SPb: SPbGITMO(TU), 2001. 360 p.
4. Korotkov KG. Principles of Analysis in GDV Bioelectrography [in Russian]. SPb: Renome, 2007. 286 p.
5. Popovych IL, Babelyuk VYe, Dubkova GI. Relations between the parameters bioelectrography (kirlianography) and heart rate variability and blood pressure [in Ukrainian]. Medical Hydrology and Rehabilitation. 2010; 8(1): 4-16.

6. Babelyuk VYe, Dubkova GI, Korolyshyn TA, Zukow W, Popovych IL. The correlationships between parameters of gas discharge visualization and principal neuroendocrine factors of adaptation. In: Pathophysiology and Pharmacy: ways of integration. Abstracts VII National Congress of Pathophysiologists Ukraine with international participation (5-7 October 2016). Kharkiv: NPhU: 8.

7. Babelyuk VYe. The parameters of gaz discharge visualization (kirlianogram) appropriately associated with some psychophysiological and endocrine parameters of healthy men. Medical Hydrology and Rehabilitation. 2013; 11(1): 21-30.

8. Gozhenko AI, Sydoruk NO, Babelyuk VYe, Dubkowa GI, Flyunt VR, Hubyts'kyi VYo, Zukow W, Barylyak LG, Popovych IL. Modulating effects of bioactive water Naftussya from layers Truskavets' and Pomyarky on some metabolic and biophysic parameters at humans with dysfunction of neuro-endocrine-immune complex. Journal of Education, Health and Sport. 2016; 6(12): 826-842.

9. Babelyuk VYe, Dubkowa GI, Korolyshyn TA, Holubinka SM, Dobrovol's'kyi YG, Zukow W, Popovych IL. Operator of Kyokushin Karate via Kates increases synaptic efficacy in the rat Hippocampus, decreases C3-θ-rhythm SPD and HRV Vagal markers, increases virtual Chakras Energy in the healthy humans as well as luminosity of distilled water in vitro. Preliminary communication. Journal of Physical Education and Sport. 2017; 17(1): 383-393.

10. Babelyuk VE, Gozhenko AI, Dubkova GI, Babelyuk NV, Zukow W, Kovbasnyuk MM, Popovych IL. Causal relationships between the parameters of gas discharge visualization and principal neuroendocrine factors of adaptation. Journal of Physical Education and Sport. 2017; 17(2): 624-637.

11. Babelyuk VYe, Babelyuk NV, Popovych IL, Dobrovol's'kyi YG, Korsuns'kyi IH, Korolyshyn TA, Kindzer BM, Zukow W. Influence of the course of electrostimulation by the device "VEB-1" on parameters of electroencephalogram at practically healthy males. Journal of Education, Health and Sport. 2018; 8(4): 195-206.

12. Klecka WR. Discriminant Analysis [transl. from English to Russian] (Seventh Printing, 1986). In: Factor, Discriminant and Cluster Analysis. Moskva: Finansy i Statistika. 1989: 78-138.

13. Puchko LG. Multidimensional Medicine. Systen of Self-diagnosis and Self-healing of Human [in Russian]. 10th ed., rev. and ext. Moskva: ANS, 2004. 432 p.